

BIKE MS TRAINING GUIDE



TABLE OF CONTENTS

TRAINING FOR BIKE MS
INITIAL FITNESS ASSESSMENT
ESSENTIAL GEAR FOR CYCLING
BIKE SAFETY
BUILDING FITNESS
STRETCHING
FUELING YOUR MUSCLES FOR CYCLING
NUTRITION FOR RECOVERY
PREVENTING AND TREATING INJURIES AND AILMENTS
STAYING MOTIVATED
KEEP ON RIDING

TRAINING FOR BIKE MS

You're up for the challenge—and ready for the ride of your life! The adventure of the Bike MS experience begins not on the first day of the event but the moment you begin training for it. The training process is a journey unto itself that will reward you with better health and fitness, greater calmness and energy in your daily life, more self-confidence, and more fun in the ride itself.

This training guide is designed to provide all the information you need to prepare for this event in an easy-to-understand format. It covers essential gear, cycling technique, building fitness, sports nutrition and other important topics.

You will find this guide to be an invaluable resource in your preparations for the ride. Get ready for the experience of a lifetime!

INITIAL FITNESS ASSESSMENT

The starting point of the training process is different for individual cyclists. For example, a 25-year-old who has exercised consistently since childhood will begin the training process at a higher level than a 45-year-old who recently quit smoking. Before you begin this or any other training program, it is important that you assess your present state of health and fitness so that you may begin with a level of training that is tailored to your current capacity.

Consult a doctor before beginning your cycling program if you are pregnant, older than 65, sedentary, or overweight, or if you have diabetes, high blood pressure, a heart condition, or any injury or health condition or risk factor that may affect your ability to safely handle the rigors of a cycling program.

ESSENTIAL GEAR FOR CYCLING

If you're doing a Bike MS event you probably own a bike or will borrow one. Now let's go down a short checklist to make sure the bike is up to the challenge. After all, a Bike MS ride puts a demand on your equipment just as it does on your body.



DOES THE BIKE FIT YOU?

The key is not so much the specific frame size but whether you can obtain the correct riding position. There are two main considerations:

1. SADDLE HEIGHT

First, make sure the saddle is level, not tilted up or down. Put on your riding shoes, then climb on with the bike beside at able or wall so you can hold your self up. Put your heels on the pedals, using the bottom side if to eclips and straps are attached. Pedal backwards. When seatheight is correct, your knees will straighten at the bottom of each stroke but you won't have to rock your hips to keep your heels in contact. Move the saddle up or down accordingly. Of course, when really riding you should have the ball of each foot on the pedal. This will produce the proper knee bend for efficiency and comfort.

2. HANDLEBAR HEIGHT

On most bikes, the bar height can be adjusted up or down. When viewed from the side, if the handlebar isn't the same height as the saddle or within two inches of being that high, raise it. Conventional quill stems have an expander bolt that holds the stem inside the bike's head tube.

Caution: Never raise the stem above the "maximum height" line engraved on its side.

ARE THE WHEELS IN GOOD SHAPE?

1. CHECK THE RIMS

Pick up one end of the bike at a time and spin the wheel. Watch where the rim passes a brake pad. If a rim wobbles or even brushes the pad, you should have it professionally trued. A wobbly rim that's ignored can eventually lead to broken spokes and an unridable wheel.

2. CHECK THE TIRES

The reshould be plenty of tread with no cuts or bare spots. The tire side walls should be free of cracks or other damage. Replace suspect tires before the ride for your safety and peace of mind.

Consider buying new tires if you'll be riding a mountain bike that currently has knobby treads. Off-road tires rumble on pavement and are very inefficient, requiring lots more pedaling energy each mile. Check at a bike shop for so-called "slick" or "treadless" tires. You'll be thankful you did.

Once your wheels are in great shape, inflate the tires to the pressure recommended on the sidewall. Firm tires handle better, roll easier and protect the tube and rim from damage if you should ride into something sharp, like the edge of a pothole.

ARE THE CHAIN AND CABLES LUBED?

The chain should neither be dry nor dripping with oil. Buy the lube recommended by a local shop for your climate, apply some to each link as you turn the chain slowly, then wipe off the excess with a rag. Lube belongs inside the links, not outside where it will attract dirt and sand.

Using a product (like Pedro's Finish Line, White Lightening) spritz into each place where brake and gear cables enter and exit sections of housing. Hold a rag behind to catch overspray, and avoid getting lube on the rims or brake pads. Also spritz the front- and rear-derailleur pivot points. (Do NOT use WD-40.)

QUICK TIP—Apply enough bicycle chain lubricant to thinly coat the chain while spinning the pedals backward with your hand. Wipe off the excess with a rag.

If you don't have the materials or confidence to do these things, take the bike to a shop at least a couple of weeks before the ride. Tell the mechanic what you're up to (there may even be a discount for MS riders) and ask for a general service. They may even offer to check your riding position.

Likewise, if you are treating yourself to a new bike for a Bike MS event, talk to the salesperson and explain the type of riding you intend to do after the big event. Shop personnel are trained to delve deeply into your needs to make sure you buy a bike that 'll make you happy for years to come. Proper gearing is a big part of this. It depends on your fitness, objectives, riding style and the terrain where you'll be riding most.

ACCESSORIES

Here's another checklist. By purchasing the necessary items well in advance, you'll have time to use them on training rides. A classic mistake is to buy something brand new and wear it or put it on your bike for Bike MS, never having tested it. Make this your motto: No surprises!

- HELMET—OF COURSE! You should wear one every time you ride, and you must when you ride in Bike MS. Modern helmets are lightweight, airy and stylish as well as protective (they must meet government impact standards). Visit a shop to try on various models in your price range. A snug but comfortable fit is essential.
- SHORTS—cycling shorts are not a gimmick. They are key to minimizing chafing and other discomforts when sitting on a saddle for any length of time. Good shorts have a large, smooth, lightly padded liner ("chamois"). If you don't care for the skintight look of Lycra, opt for the "baggie" mountain bike style that looks like casual shorts but still has a liner. Being a loose fit, though, means they could bunch uncomfortably during long rides.
- JERSEY—acyclingjerseywith three rear pockets is handy for carrying snacks, your wallet and other items. Summer jerseys are usually made from a material that lifts moisture way from the skin, keeping you drier and more comfortable. Plenty of casual riders simply pull on a T-shirt, but realize that sweat (or a rain shower) makes cotton heavy and clammy.

- GLOVES—short-finger cycling gloves absorb perspiration for a safer grip, protect against raw spots and blisters, and pad your palms to reduce road shock. Most have a terry back that gives you a way to wipe sweat from your eyes or energy drink from your chin.
- SHOES AND SOCKS—dedicated cycling shoes, either for road riding or mountain biking, are the best choice. The reason? Very firm soles that let you press as hard as you want without feeling uncomfortable pedal pressure. You can use mountain bike style shoes with or without toes clips and straps, or with clipless pedal systems. Plenty of casual riders simply wear running shoes, but their softness makes them less suitable for longer distances. Socks are important for comfort and sweat absorption. Choose the low-cut style if you're worried about a funny tan line.
- SUNGLASSES—it's best to use a sports model with unbreakable lenses that have 100% UV protection. The wrap around style will reduce bothersome wind, a boon if you we ar contacts.
- SUNSCREEN— your eyes aren't the only things that needs sun protection. During Bike MS, yourskin may be exposed to burning rays for 10 or more hours. Apply a sweat-resistant sports sunscreen before getting on the bike each morning, and carry a tube in your jersey pocket or seatbag so you can apply more at rest stops. Choose SPF of at least 30 (45 is better). Don't forget your ears and behind your knees. For lips, use a lip balm that has SPF protection.
- FOOD AND DRINK—have two cages on your bike and use tall, 28-ounce bottles. Any experienced cyclist will tell you that a key to successful long rides is staying well fed and well hydrated. National MS Society rides have plenty of snacks and drinks at aid stations, but don't waituntilyoustop. Nibble and sipevery few minutes while riding for maximum sustained energy.
- REPAIRKIT—your under-seat bag should contain at least one spare tube, a tube repair kit and levers for prying the tire off the rim. You'll need a pump, too, unless you're riding with a friend who carries the right kind for your valve stems. Pack a compact multitool made for bikes, plus a \$10 bill and some coins for emergencies. Be sure to carry an ID card, too, with any essential medical information.

SIX EASY STEPS FOR TUBE REPLACEMENT

A repair kit won't do you any good if you don't know how to replace a punctured tube. On second thought, the rider who stops to help you will appreciate it! But don't leave it to chance. Learn how to fix a flat by practicing these simple steps:

1. STOP IN A SAFE PLACE.

Open the brake's quick-release to spread the pads. Remove the bad wheel. If it's a rear, first shift the chain onto the smallest cog to the derailleur out of the way.

2. USE TIRE LEVERS TO REMOVE ONE SIDE OF THE TIRE ALL THE WAY AROUND.

Pull out the bad tube. Using your fingers or a rag, gingerly feel around the inside of the tire to find anything still stuck through the tread. Remove it completely or the new tube will be punctured, too.

3. ADD A LITTLE AIR TO THE NEW TUBE.

Put the valve through the rim, and feed the tube into the tire all the way around. Avoid kinks and folds.

4. STARTING AT THE VALVE STEM, PUT THE TIRE INTO THE RIM.

Work in opposite directions with both hands, using your thumbs to force the edge of the tire up and over.

5. IF THE LAST SEVERAL INCHES OF TIRE ARE HARD TO FORCE ON, LET ALL AIR OUT OF THE TUBE.

Pinch the tire all the way around the rim so both sides are in the deep center of the rim. Use your palms and thumbs to force the stubborn section into place. Avoid prying with the levers unless there's just no other way, because it's easy to pinch a hole in the tube.

6. PUSH THE VALVE STEM UP INTO THE TIRE, THEN PULL DOWN FIRMLY.

As you inflate, watch both sides of the tire to be sure it's staying firmly seated in the rim. If a section bulges, the tube is caught under the tire's edge. Deflate and massage that are a to help work the tube inside, then pump again.

QUICK TIP—Practice repairing flat tires before you begin doing long rides. It's not as hard as you might think!

BIKE SAFETY

SAFETY STARTS WITH YOU!

Cyclists need to possess basic bike-handling skills and safety knowledge in order to keep themselves and others around them safe, especially while participating in group cycling activities, like the Bike MS Ride. Our focus is to provide a high quality, safe and fun bicycling experience. For this reason, the National MS Society has partnered with the League of American Bicyclists to provide our cyclists with the knowledge and resources to cycle safety.

Headphones, cell phones, radios and similar radio devices are not permitted while riding.

THE BASICS OF RIDING IN A GROUP

Groupriding takes practice. Riding with other cyclists all around you may cause you to feel trapped. Relax. It is most important to create your own safety zone. This may vary depending on the speed and ability level of the people you are with, so be flexible. Let others know of your anxiety—they may also be new at this.

YOUR RESPONSIBILITY IN A PACK INCLUDES:

- BE AWARE OF OTHERS AROUND YOU.
- COMMUNICATE WELL IN ADVANCE—Use gestures in combination with verbal commands.
- RIDE WITH YOUR HEAD UP—Look down the road; not at the person in front of you.
- MAINTAIN CONTROL AND SPEED OF YOUR BIKE, EVEN GOING DOWNHILL.
- KNOW YOUR LIMITS—Crashes can occur when inexperienced riders do not have bike-handling skills to make quick decisions in a pack.
- SAFETY STARTS WITH YOU—Group mentality is not always safe. Expect to stop at all red lights and stop signs—it is the law! Each cyclist is responsible for verifying that the intersection is clear.
- ADJUST YOUR SAFETY ZONE TO FIT THE CONDITIONS OF THE ROAD, WEATHER AND TRAFFIC—Always plan an escape route.



- NEVER OVERLAP YOUR WHEELS WITH ANOTHER CYCLIST.
- DO NOT USE AEROBARS IN A PACK.
- BE AWARE OF HOW WEATHER WILL AFFECT YOUR BIKE—Riding in wet conditions requires slower speeds and greater braking distances.
- BE RESPECTFUL OF OTHER RIDERS. Help others when needed.

WHEN TO SEEK MEDICAL ASSISTANCE:

Knowing how to optimize your fluid intake is critical to successfully completing a Bike MS event.

- If you find that you experience extreme fatigue, the inability to recover your energy, or frequent muscle cramps, seek assistance from first aid—you may have the early signs of dehydration.
- Seeking medical assistance: If you find that you experience weight gain/bloating with progressive symptoms such as swollen hands and feet, confusion, throbbing headache, dizziness or nausea, please seek assistance from first aid.

HELMET SMART

Head injuries are a special concern for cyclists. Even falling at a slow rate of speed can cause a serious head injury.

Helmets must be on your head and strapped while riding in a Bike MS event—no exceptions.



BICYCLE LAWS

All states consider cyclists vehicle operators, and give them the same rights and duties as other drivers.

- KNOW AND OBEY ALL TRAFFIC LAWS—The golden rule of bicycling in a group is:

 Be Predictable!
- STAY RIGHT—Ride in the right portion of the right most lane in the direction you are traveling and leave at least four feet between your handlebars and parked cars or other hazards such as other cyclists. You may move left when passing slower vehicles or preparing for a left turn.
- OBEY ALL TRAFFIC SIGNS AND SIGNALS—Avoid "following the leader" through traffic signs and signals; you are required to obey all traffic signs and signals, including stopping at red lights and stop signs.
- LOOK AND SIGNAL BEFORE YOU MOVE—Always scan behind you before changing lanes ormaking turns. A continuous arm signal is required prior to a turn or lane change (unless arm is needed to control the bike) and while stopped waiting to turn.
- TWO AT A TIME—Ride no more than two abreast and do not impede traffic. If a part of the road has been closed and dedicated to "bicycle travel only" you may ride more than two abreast.
- HANDS ON THE HANDLEBARS—Do not carry anything that prevents keeping one hand on the handlebars.
- PASS WITH CARE—Do not pass at intersections.

HELPFUL TIPS

At Bike MS events, our active route support team works to make the ride safe. Here are a few additional suggestions to help keep everyone safe on the ride:

- THUMBS DOWN FOR HELP—SAG vehicles and motorcycle escorts will stop for you if you are off the road, off your bike, and giving a "thumbs down" sign or holding your helmet in the air.
- RIDE MARSHAL SUPPORT—A special team of cyclists called Ride Marshals provide support on the rides. They offer minor mechanical help along the route and monitor cycling safety and etiquette.
- RESTSTOP ETIQUETTE—All cyclists who enter a rest area must pull over, dismount and move completely away from the road and rest-stop entrance. When exiting, move beyond the rest area and proceed with caution on the right side of the road before merging with faster cyclists.
- PASSING—Passing others and being passed occurs continuously during the ride. Call out "passing on your left" and allow time for the cyclist being overtaken to move to the right—then pass safely.
- MECHANICAL PROBLEMS—Examine mechanical problems and change flats completely off the road. If you have a problem you cannot fix yourself, flag down a SAG van and seek a mechanic at the next rest stop.
- BE COURTEOUS—Bike MS cyclists are privileged to ride on many trails as well as public roads. Be courteous and use no more than half the trail so as not to block the flow of other users.

KNOW THE LINGO

Group cycling has its own form of communication. The presence of road hazards, directions, and need-to-knowinformation is relayed through the pack of riders by gestures and words. Remember to pass all communication on to the next cyclist behind you in the group. Speak loudly and clearly. The following are the most common terms you may hear in group-sponsored rides:

- ON YOUR LEFT—This means a rider is approaching your left side. Allow room to pass.
- CAR BACK—This means a car is approaching from the rear. All riders make an effort to move to the right of the road in a single file until the car passes. In most states, the law requires cyclists to ride no more than two abreast. This ensures that traffic will not be impeded, and will make passing easier and safer for the cyclists.
- GRAVEL POTHOLE SAND TRACKS—Each of these messages is to alert the riders behind you of hazardous road conditions. The words are combined with the gesture of pointing to the hazard well in advance.
- FLAT—This indicates that a rider has suffered a flat tire. Allow enough room for the rider to slow down and move to the right side of the road or trail for repair. Offer assistance if needed.
- SLOWING—The cyclist in front of you is slowing down. Use caution and prepare to stop. Many cyclists use the palm of their hand toward riders behind them to indicate slowing and stopping.
- STOPPING—This indicates that a rider ahead is stopping. Do not forget to unclip from your pedals.

SPECIAL SITUATIONS

Many cyclists find that situations occur when quick thinking and heightened bike-handling skills are required. Here are some suggestions for managing potential obstacles:

CARS CAN BE SCARY—Drivers do not know your skill level, and will often not leave room when they pass. Give them the room. In a group, call out "car back" or "car up" and move to the far right in a single file. Be predictable.

- BEWARE OF ANIMALS—Knowing how to handle animals, specifically dogs, on a bicycle varies depending on the situation. You may want to slow down, outsprint the dog, or yell "stop", "no" or "go home." Distracting a dog with a water bottle should only be used when you are not in a pack. Try to keep to one side of the dog. Let others know of your intentions.
- PEDESTRIANS, JOGGERS AND ANIMALS HAVE THE RIGHT-OF-WAY—Signal to the pack that someone is being overtaken and move to allow room for safe passing.

BUILDING FITNESS

Bike MS is a fun recreational ride, not a race. So let's make preparing for it fun, too.

There's no need for a strict training program. Your main objective should be to ride your bike five times a week, with two well-spaced days off. How long you ride depends on your fitness and experience. Ideally, you'll be able to start riding regularly at least eight weeks before the big ride.

Here's how a good training week might look. Feel free to make adjustments based on your work schedule, available time and other interests and responsibilities.

MONDAY

Rest.

TUESDAY

60 to 75 minutes with periods of brisk riding. Start easy to warm up, then find ways to push yourself harder and raise your heart rate. You could ride some hills, decide to time trial in a five minutes three times (a time trial is how much distance you can cycle in a fixed amount of time), do accelerations between every other telephone pole, sprint for a minute each time you see a silo or yellow mailbox. Be creative and make it fun. The undulating heart rates build fitness better than steady riding, and you'll develop riding skills by climbing hills, sprinting and settling into extended periods of fast riding. Be sure to leave time for easy spinning to cool down on the way home.



WEDNESDAY

If your schedule allows, make this your second or third longest ride of the week. Try for as much as two hours at the same pace you plan to keep in the MS ride, a steady aerobic effort. Even if you can't go very long, keep it steady. This aids recovery between the more spirited workouts on Tuesday and Thursday.

THURSDAY

60-75 minutes with periods of brisk riding. Remember what you did Tuesday? Don't do the same thing today! Physically, you want to tax yourself in a similar way, but mentally it helps to use a different approach. The variety will keep your riding fresh and fun.

FRIDAY

45-minute spin or day off if you're feeling sore or tired. Remember, active recovery in the form of an easy ride is often more beneficial than plopping on the couch. Just don't give into the temptation to up the effort. If you decide to do a 45 minutes spin, make sure that the pace you ride is slower than the pace that you anticipate doing Bike MS. Just enjoy being out on your bike.

The weekend is where you accomplish two important objectives. First, improve your endurance and ability to be comfortable on the bike for several hours. Second, get accustomed to the back-to-back long rides that Bike MS requires.

SATURDAY

This should be your longest ride of the week. Scheduling it for Saturday gives you the option of switching to Sunday if bad weather or something unexpected intervenes. Begin at the level that 's right for your present fitness level, then add about 15-20 minutes each week. If you start at 2 hours, for example, you will build to 3-4 hours on the sixth Saturday. Strive to ride in a terrain similar to the course you'll be riding. Eat and drink for energy and to accust omy our stomach to digesting food while riding.

SUNDAY

Doabout 80 percent of Saturday's time. It's best to go with your bike clubor another group, especially if you do most of your other riding alone. You'll be sharing the road with hundreds, or even thousands of other cyclists during the Bike MS, so you need to be comfortable in the midst of all those wheels. It's also a refreshing change to ride with a group instead of going out alone again. The miles will go by faster and there's apt to be beneficial pace changes, particularly if some riders like to push the climbs.

Asyoutrain, remember this maxim: You grows tronger when you're resting, not when you're riding. Adequate recovery is essential. Always erron the side of doing a little too little. If you're feeling fatigued, not sleeping well and getting grouchy, take an extraday or two off. Do a short recovery ride on a Tuesday or Thursday instead of a spirited workout. You are an experiment of one. Listen to what your body is telling you and adjust your riding accordingly.

We recommend that you record your training in a training journal for two reasons. First, the best results will come if you hold your week-to-week increases to 10-15 percent (whether keeping tabs by miles or riding time). Bigger increases will be tempting, but before long you could suffer fatigue and worsening performance instead of the gains you're striving for. You can't boost your training a safe amount unless you know how much you did the previous week.

Second, you'll have a better preparation plan for next year's Bike MS! By writing down what you did each day for eight weeks, what felt right and what didn't, what worked well and what didn't seem to help, you'll know what to repeat and what to avoid. It's often said that a training diary is the most helpful book a cyclist can own. Start writing yours after the next ride.

QUICK TIP—Try to ride consistently five days a week, doing your longest weekly ride on Saturday.



STRETCHING

Itisimportantthatyoustretchyourmusclesregularlythroughoutthetraining process. Stretching can prevent the tightening of certain muscles that of ten results from repetitive activities like cycling, which is important because tight muscle lead to overuse injuries.

Stretchingshould be dones lowly without bouncing. Stretch to where you feel as light, easy stretch. Hold this feeling for 5-20 seconds. As you hold this stretch, the feeling of tension should diminish. If it doesn't, just ease offslightly into a more comfortable stretch. The easy stretch reduces tension and readies the tissues for the developmental stretch.

After holding the easy stretch move a fraction of an inch farther into the stretch until you feel mild tension again. This is the developmental stretch, which should be held for 5-20 seconds. This feeling of stretch tension should also slightly diminish or stay the same. If the tension increases or becomes painful, you are overstretching. Ease off a bit to a comfortable stretch. The developmental stretch reduces tension and will safely increase flexibility.

Hold only stretch tensions that feel good to you. The key to stretching is to be relaxed while you concentrate on the area being stretched. Your breathing should be slow, deep and rhy thmic. Don't worry about how far you can stretch. Stay relaxed, and you'll notice an increase in limberness and flexibility as you follow a regiman of regular stretching.

Doalightwarm-upofeasyspinningforseveralminutespriortostretching. The dotted areas are those areas of the body where you will most likely feel the stretch. If you have had any recent surgery, muscle or joint problems, please consult your personal health care professional before starting a stretching or exercise program.

STRETCHES FOR CYCLISTS

 SHOULDER SHRUG—Raise the top of your shoulders toward your ears until you feel slight tension for 3-5 seconds, then relax your shoulders downward into their normal position. Do this 2-3 times. Good to use at the first signs of tightness or tension in the shoulder and neck area.



2. With arms overhead, hold the elbow of one arm with the hand of the other arm. Keeping knees slightly bent (1"), gently pull your elbow behind your head as you bend from your hips to the side. Hold an easy stretch for 10 seconds. Do both sides. Breathe rhythmically. Keeping your knees slightly bent will give you better balance.



3. Standing with knees slightly bent, place palms on lower back just above hips, fingers pointing downward. Gently push your palms forward to create an extension in the lower back. Hold comfortable pressure for 10-12 seconds. Repeat twice. Do not hold your breath. Use this stretch after sitting for an extended period of time. Stretches lower back and chest.



4. As shown in the drawing at right, move one leg forward until the knee of the forward leg is directly over the ankle. Your other kneshould be bent, behind you. Using your bike for balance, lower you body downward to create an easy stretch in the front of your hip a quadriceps. You may also feel this stretch in your hamstrings and g This will help relieve tension in the lower back. Hold the stretch 20-30 seconds. Repeat for other leg.



QUICK TIP—For the best results, warm up for several minutes on the bike before your stretch.

5. To stretch your calf, stand a little ways from your bike and lean on it with your arms, keeping your balance. Bend one leg and place your foot on the ground in front of you leaving the other leg straight, behind you. Slowly move your hips forward until you feel a stretch in the calf of your straight leg. Be sure to ke the heel of the foot of the straight leg on the ground and your to pointed straight ahead. Hold an easy stretch for 30 seconds, ealeg. Do not bounce.




6. Hold top of the left foot (from inside of foot) with right hand and gently pull heel moving toward buttocks. The knee bends at a natural angle in this position and creates a good stretch in knee and quads. Hold for 15-20 seconds. Do both legs. Breathe deeply. This stretch can also be done using same hand to same foo with hand holding on top of foot, if preferred.



7. With your feet shoulder width apart and pointed out to about a 15 ° angle, heels on the ground, bend your knees and squat down. Hold onto your bike for support. It is a great stretch for your ankles, Achilles tendon areas, groin, lower back and hips. Hold stretch for 20-30 seconds. Be careful if you have had any knee problems. If pain is present discontinue this stretch.



8. Place both hands shoulder width apart on your bike and let your upper body drop down as you keep your knees slightly bent (1"). Your hips should be directly above your feet. To change the area of the stretch, bend your knees just a bit more. Find a stretch that you can hold for at least 30 seconds. Stretches upper back, arms and shoulders. Breathe easily. (Remember to always bend your knees when coming out of this stretch.)



The material in the stretching section is copyrighted by Bob Anderson, Stretching Inc. and reprinted with permission. Illustrations are by Jean Anderson

FUELING YOUR MUSCLES FOR CYCLING

Exercising muscles need fluid and energy to perform at their best. With every pedal stroke you complete, a small amount of body fluid is lost through sweating and a little bit of energy fuel is burned inside your muscle cells. The more fluid you lose and the more energy your muscles burn, the more tired you become. So it is important that you consume fluid and energy during all of your rides. By consuming these vital nutrients for muscle performance during all of your training rides and during Bike MS itself you will feel better and ride better than you would otherwise.

The two main causes of fatigue are dehydration and depletion of energy stores in the muscles. Sweat is the body's coolant. During an intense workout, the muscles generate heat, which is carried by the blood through capillaries near the surface of the skin. Sweat glands release sweat (made up of water and electroly teminerals) that evaporates, cooling the skin and the blood just underneath. Cooled blood then flows back to cool the body's core.

THE IMPORTANCE OF HYDRATION

Sweating is therefore an essential mechanism for regulating body temperature. However, the loss of water that comes with perspiration limits the capacity of the blood to carry vital nutrients, such as glucose, fatty acids, and oxygen, to working muscles. The capacity of the blood to remove the byproducts of metabolism, including carbon dioxide and lactic acid, is compromised as well. The result is an increased demand on the circulatory system, which is approximately 70 percent water. As little as a 2% loss in body fluids will negatively impact cardiovascular performance.

In addition to water, sweat contains minerals called electroly test hat serve important functions in the body. For example, so dium helps regulate fluid balance and potassium assists muscle contractions. Excessive loss of electroly test hrough sweating can cause problems such as dizziness and muscle cramping.

The problem becomes even more complicated because athletes can't depend on their normal thirst mechanism to replace the fluid they lose during exercise. We call this phenomenon involuntary dehydration. That's one reason why sports drinks that contain electrolytes are beneficial. Not only do they restore electrolytes lost in sweat, but salt also stimulates thirst, resulting in continual consumption of fluids.

It's best, however, to drink on a schedule. Specifically, you should drink 4 to 6 ounces of water or a sports drink every 12 to 15 minutes during workouts. The heavier you are, the higher the air temperature, and the faster you ride, the more fluid intake you need. Carry at least one full fluid bottle in a frame-mounted cage on all of your rides and refill it as necessary. Another option is to wear a fluid bladder backpack, which holds a large volume of fluid and allows you to drink hands-free through a hose.

The second component of exercise nutrition is carbohydrate. Carbohydrate is the primary fuel that powers the muscles during exercise. But carbohydrate is available in only a limited supply in the body—enough to fuel a couple of hours of moderate-intensity activity in the average rider. When carbohydrate fuel runs low, fatigue sets in. However, by consuming carbohydrate in a quickly and easily absorbed form during exercise, cyclists can delay fatigue much longer.

WATER IS NOT ENOUGH

Drinking water during work outs is much better than drinking nothing. But sports drinks are preferable. A quality sports drink can supply the fluid, electrolytes, and carbohydrate riders need to maximize their endurance. Drinking water alone will not do the job, because it does not replace the electrolytes lost in sweat or the carbohydrates burned for energy. Studies have repeatedly shown that exercisers who use a sports drink during work outs are able to go faster and longer than those who drink plain water.

Most sports drinks are very similar. The ideal carbohydrate level for a sports drink is 6 to 8%, and most sports drinks are formulated accordingly. Also, a majority of sports drinks contain electrolytes in amounts adequate to replace what is lost through sweating.

During your longest rides you will probably get hungry. The best solid foods to carry with you and eat during long rides are energy bars. Choose a bar that has approximately the same 4 to 1 ratio of carbs and protein that you should also look for in a sports drink, and avoid bars that have more than a very small amount of fat.

QUICK TIP—Be sure to drink 12-18 oz of water per hour of exercise. Sports drinks are more effective than water since they replenish energy.

NUTRITION FOR RECOVERY

Nutrition is the foundation of post-exercise recovery, because it provides the raw materials with which your body can make physiological adaptations in response to training. If you take in the right nutrients, in the right amounts, at the right time after workouts, you will recover far more quickly and thoroughly than you will if you don't practice proper nutritional recovery.

THE IMPORTANCE OF TIMING

Timing is essential with regard to post-exercise nutrition because your body is primed to sponge up needed nutrients at this time. For example, synthesis of muscle glycogen—a form of stored carbohydrate that serves as the body's primary energy source during endurance exercise—proceeds two to three times faster in the two hours immediately following exercise than it does at any other time.

There are three main components of post-exercise muscle recovery. First, it is necessary to restore fluids lost during exercise. When a cyclists weats heavily, he or she loses a lot of water and electrolytes. Drinking a sports drink during rides can slow the rate of fluid loss, but can 't stop it completely. So it's important to make up the deficit by continuing to use a sports drink with electrolytes after exercise. If you do not rehydrate properly before the next work out, you could experience over heating, muscle cramps, and other problems.

The second component of muscle recovery is putting carbohydrate fuel back in the muscles. Again, carbohydrate is the muscles' main fuel source during moderate-intensity exercise. The longer a workout lasts, the lower your muscle fuel supplies become. By using a sports drink containing carbohydrates during rides, you can slow down this process. But it's impossible to take in carbohydrate during intense exercise as fast as it's burned. So you need to continue taking in carbohydrate after exercise, as well. If you don't get your muscle fuel levels back to normal in time for the next ride, you'll be sluggish and sloppy.

QUICK TIP—Consuming carbohydrate and protein within 45 minutes after your exercise will help you recover faster.



REPAIRING MUSCLE DAMAGE

Finally, the third component of muscle recovery is fixing the damage done to muscle tissue during exercise. High-intensity physical activity can cause small tears in muscle tissues. In addition, some muscle proteins are broken down for energy during hard exercise. Also, hard exercise produces damaged molecules known as free radicals, which attack muscle cells. In order to undo all this damage, you need to consume protein after each ride. You should also get antioxidants such as vitamins C and E, which help protect the muscles tissues against damage from free radicals.

If you are hungry after your rides, eating is fine. Just make sure you get all the same nutrients you would get in a quality sports recovery drink without a lot of extra stuff (fat, excess protein) that might slow down the delivery of nutrients to your muscles. Some energy bars are good recovery foods. In any case, you will need to drink some form of fluid to meet your body's hydration needs after workouts.

PREVENTING AND TREATING INJURIES AND AILMENTS

The most important thing you can do to prevent in juries is to make sure your bike is properly fitted to you. Bike fitting is not as easy as many beginning riders assume. A small error in setup can lead to problems down the road. To be sure of proper fitting, take your bike to your local high-end bike shop and get a professional fitting. This service will cost about \$35 but will be more than worth the cost if it keeps you from developing back or kneep roblems.

Following are additional tips for preventing and treating common cycling in juries and ailments.

SADDLE SORES

Saddles or es are are as of irritation in the perine um that sometimes becomes infected. They are causedsometimes by the pressure of bearing weight on this area and sometimes by friction between the perineum, shorts, and seat. To prevent saddle sores, first of all always wear cycling shorts that provide protection for the perineum. For additional protection, apply a lubricant to the area before each ride.Even with such precautions, however, there will be a period of adjustment. You will experience some tenderness and irritation as you adapt to this unfamiliar pressure and friction. In order to get through this period of adjust ment comfortably, you need to ramp upgradually. Don't do too much too soon.To prevent infection, remove your cycling shorts immediately after completing each ride.

KNEE PAIN

Among cyclists, knee pain is often caused by poor fitting. If you feel pain in the front of the knee, your seat is probably too low. Raise the seat and it should go away. If you feel pain in the back of the seat and it should go away. If you feel pain in the back of the seat and it should go away. If you feel pain in the back of the seat and it should go away. If you feel pain in the back of the seat and it should go away. If you feel pain in the back of the seat and it should go away. If you feel pain in the back of the seat and it should go away. If you feel pain in the back of the seat and it should go away. If you feel pain in the back of the seat and it should go away. If you feel pain in the back of the seat and it should go away. If you feel pain in the back of the seat and it should go away. If you feel pain in the back of the seat and it should go away. If you feel pain in the back of the seat and it should go away. If you feel pain in the back of the seat and it should go away. If you feel pain in the back of the seat and it should go away. If you feel pain in the back of the seat and it should go away. If you feel pain in the back of the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel pain in the seat and it should go away. If you feel paiknee, your seat is probably too high. Lower the seat and the pain should go away. When your bike is set up correctly there should be a slight bend in your knee at the bottom of the pedal stroke.

Another common cause of kneepain is pedaling into ohigh a gear. If you develop kneepain despite correct setup, try pedaling faster in a lighter gear. Trying to do too much too soon can also causeknee pain, so here's another reason to ramp up gradually in your training.

Between rides, ice your knees and use anti-inflammatory medications as needed to treat pain and swelling.

LOWER BACK PAIN

Lower backpain is the most common complaint among cyclists. The hunched-over position that is maintained during rides strains the muscles of the lower back, especially in beginners. Performing strengthening and stretching exercises for the lower back, as well as strengthening exercises for the abdomen, will reduce this strain and the pain that comes with it.

Poor setup can contribute to lower back pain too. Positioning the handlebar too low or two far forward often leads to problems. If you develop lower back pain during Bike MS, or during any other long ride, you can effect a quick fix by moving your saddle forward. Stop to stretch out your lower back may also help.

HAND NUMBNESS

Hand numbness can result from riding in a setup that has you bearing too much weight on your hands, as when your seat is too high or your handlebar is too low or two far forward. Adjust your bike (or have it adjusted) so that approximately 60% of your weight is on your seat and 40% on your hands. Wearing cycling gloves and double taping your handlebar can also reduce hand numbness or discomfort.

MUSCLE SORENESS

Strenuous exercise causes microscopic tearing in muscle fibers that can result in soreness a day or two later. Hence this condition is called delayed-onset muscles or eness (DOMS). Delayed-onset muscles or eness is a normal side effect of training, but it should never be excessive. The best way to prevent extremes or eness is to build your training volume gradually and never to do a ride that is more than slightly harder than any ride you've done recently.

STAYING MOTIVATED

The mental aspect of preparing for Bike MS is just as important as the physical aspect. Any experience that challenges the body challenges the mind as well. It is likely that the biggest mental challenge you will face in your training is staying consistently motivated to stick to your program. Here are some suggested ways of keeping your motivation level high.

TRAIN WITH OTHERS—Sharing the training experience with others is a powerful motivator for most cyclists. The National MS Society will notify you of training rides in order to afford you the opportunity to meet fellow participants and practice long-distance cycling.

- The National MS Society will be with you every step of the way! We also encourage you to ride with friends who may or may not be training for Bike MS.
- GET OBJECTIVE FEEDBACK—There's nothing like experiencing the results of hard work to motivate more hard work. There are many ways of gathering feedback on your progress as a rider. One way is to do an occasional timed ride wherein you see how far you can ride during a designated period of time (say, one hour). As you become fitter, you will be able to ride farther and farther in the same amount of time.
- STAY GOAL-FOCUSED—Most of us are goal-oriented and are highly motivated when important goals are prominent in our mind space. Effective ways of staying goal-focused include keeping a daily exercise journal and visualizing yourself participating in the ride.
- CHANGE IT UP—Sometimes it's not the hard work of cycling but rather the monotony of doing the same ride every time that causes motivation to sag. When this happens, change the workout: drive to a different location and ride, do an alternative cardiovascular workout instead, or do fast-paced "intervals" instead of a steady ride. Any of these options beats blowing off the ride altogether!

KEEP ON RIDING

Cycling is one of the best forms of exercise and also a very enjoyable activity. It carries a long list of physical and mental benefits. We hope that the experience of training for and completing Bike MS gets you "hooked" on cycling so that it becomes a lifelong habit. Who knows where it will take you next?

